Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



HISON (Per) This namely is a farotile with | plant is a strong summer and productive; the learny of the Michigan growers and is also being planted is neglium to large nearly round and line for house extensibely by some of our Wisconsin gardenets use or near market, but to soft for shipping, y is large, dark red and of fine appearance Sea- is hirge, roundish, colleal in shape and of the qual-

AFL JUNES (Imp.) This is a new variety limit DR, BURRILL, One of the nemer variables. Of the to the Harcrland, which it resembles it shape. In shape, and of good qualtr,

Strawberries

flor strouthertr plants are all fresh dug ere is other, you buy our plants

I the rior. Keep blossions licked off the fruit you cirir use,

> SENATOR DUNLAP (Pero) Takett allogether, we believe this to be the best rarlely in general cultinition todry. One of the berl to idalit us a farillizer with the Worlield as the runt picks and markets mell milli that contains

WARFIELD (Imp.) One of the ld rarielles, but still rory popular account of its druppess and colol. phich ly a rich dark red, araking h on of the mery best for taughte Plant is rather small, but is vigorous and productive. We recommend idarting the Senator Dunlan us a ertdizer with this.

BEDERWOOD (Per) Has a long scoming period and is one of the bust fertilizers for the Haverland Shill other parly and midseasun variables We like this the best of any fartlety e have for an early berry. The

plant is a strong, thrilin, healthy grower; the AROMA (Per.) Our favorile as a late berry Frull

medium early to late. A railely that is worthy list in get, roundish, editual in shape and of the quali-t fait trial Verr production

ery promiting The plant is a strong, healthy Dunkap type and raimed by some to be superfor to responding out an abundance of runners and is that ruletry. Plate strong and herlitry, Follage is butire. The fruit is long, conject in shape, blight large, of a legutifut dark green color and terr hirde and of wood quality. We consider h much super- and healthy. Berry is good size, bright red, uniform

Fall-Bearing Strawberries

he event-caring stramberry has passed the erperimental stage. Give plenty of fertillity and maler and

results will bear a liver crois of terries in the results will be gratifying

REGRESSIVE (Per) Plant a very strong grower. full of the year, as well as the urother plant. Plant to f good size content in shape, good celor and firs. The dest of the everteeners. The matted system of growing this variety will produce more ter in the fall of the inst year, than any other ter in the fall of the inst year, than any other c, and for this reason, the unaforly of growers stems plcked off from the unoffer plant until July ist r this mattery. All of the new formed plants of give rlean rultiration throughout the season, and

ll or Spring Planting As to which is best is a malter of soll, location and varieties to be planied. On such stock as Maples, Elms, Lindens, hardy shrubbery, Peonics, Phlox, Currants, Grapes, Red Raspberries and berries If well planted and properly malched, may be put oul in the fall. On other slock we advise spring ling in this climple.



Black Rasuberries and those that ion from the lin should be ultrated in the Vr use no storage plants. The entire roll spring, Red to sucker rurlelles can be planted either fail or suring Plant the Ar use no storage plants, the entry is sping, that is sping, a storage the storage plant is t uses are thrown out. You get the best cultivate deep. Funch off the theor the cunes after the first reat, when 2 to 2 is there is the the first reat, when 2 to 2 is there is much your our our paints the rows induces incomes should be out does us ar with the nervesity of Plant stranderries in the spring, the rows in true up to the rows. These side brouches should be out back in the spring to the set angle.

All the rarbelles do best on a well-dialued soil. They will not their with wellmar ther are planted and let lite runners I feel. Care should be taken not to plant them too deep. The crown of the plant for and root. Keep well culturated and i should not be correct more than two inches. For the testils they should the the croup freezes cover all h har at he real feilinged. Stable manure is the lies for this

tray. The following season, pick all the The sucker carlelles can be planted 6 feel by about 3 feet and allowerd to form hedge mars. North of hillinde 43, we address allater proportion of rasplartlys and blackberries.

CAP VARIETIES

COLUMBIAN. The strongest growing rately on our grounds. Fiull large, dark muride and of good quality; excellent for canning. Huridy, Fery 100 ducting, and taken all together, one of the most destialde sorts me have

CPMBERLAND. The Intgest Black Rushburry known. It has been well tasted and is girling the best of satisfarilan. The abality is of the best, and In other of its great size, is rery first; then sublished on it ares use terr large and shong and side to carry their load of fruit


MUNICER. For this latitude are consider this a more rahiable rarlely than the Gregg. The bash is a strong, upright grourer, and is perfectly hardy with as "The fruit is larger thru the Gregg and cherne or a bate than that ratifely. We consider it the best late marining me have tested

SUCKER VARIETIES

ST. REGIS. This is called for fall-bearing productive and is worther of the inner. It sters a sidefulld cracher guod sized, bright real fruit of the anullis a July, and later to the sensor during September and Detaber I) produces a lineral uniount of fight on the this of the new runes. The cane is perfectly hards here and is a strong, healthy grower

KIND. This is claimed by morny in he lie has early red raspberry. Our experience with it fully substantities these civitias three is a strong grouper and hardy, berry is huge, good color, firm, and irright rad and good quality A good market sort





Eldurado Bhrokherries,

Blackberries

This relugite full leging to flyin before rasplarries are gone and confinnes paill grapes are the, this beeplug on a constant supply of frull for the table and market. Bluckberries do well on any moderately rich, well-dratied sull. Thorough cultivation is necessary for best nosults.

ELDORADO. Perhans the must columble darkberry for our northern elimate. The berries are large, jet black, ripen well together, and are horne in large clusters; they are sired and delicious, imme no hard core, and keep null after ideldag

SNYDER, This is a real known populat carlety; hundy and productive. It is quite early unit is a raturble market variety.

For the benefit of our customers are publish formulas of insecticides and fungitudes and data as to the proper time for spraying. This is sent lree on roquest.


What the C. C. & E. Service Means to You

The experience galact during burty terrs of growing Fruits, Fruit Trees. Vines, Shrubs, and Ornementals in Wiscunshr, is gunrs, This should neall much, as me inte in a posibiliti o know what carletles are must sailalthe in your hreatlon, 11 It is Landscope Work in midth

yht are interested we can make the hus and Inraish the gouds. If the effect is not wint it should be, you know whose lault it is. If your nine is marle by one purty and you get the gooils from another, and the results e not satisfuctory, min is to blann? We cheerhally correct all errors of UT INTE PERSING.



Strawberry Bed Shuring Phrais Group in the Matlel Ror System,



To get the less results, ident to a deep, righ soil, and give good cultication and identy of mell-ration minare Keep the bush well thinned out in the enter, and do not have more than four or the locating comes at a time. The lost method of removing is after the bash is four or firm cours will to remove one of the old cames each frar and lefter one of the strongest new surrouts. Phone other: In the full of spring 5 by 5 feel. For the currant morn, we firsh white helebore, one onnee to 2 gallons of materi or dust laist with Darben der is on.

PERFETTHIN. Size equal in Fay, the cluster aretaching longer, with good long strue, making it energy to ulrk. Romat in productiveness to any of the large south. The quality is right, wild, sub-arid, with ler and s the of the hest validles for hide use. The lashes make a fair growth and have in alighdame of large, healthy fidlage.

WILDER. This is woring in be one of the most wronaldo number surfs. The bash is a good grouper: the (rg) is a guid rate and large grough to led up the lost prices on the market. We consider this the hest red currant are have.

WHITE BRATE. The best lade ratiely, large and luscions. A good grouter and productive.

Grapes

The grane the should be planted in good, teh, well-drained soll, 5 by 8 feet uparl, aur from 4 to 6 hieldes deep, dirl pressed findr and of the coals. If the lubes being another to lake in the roots williout crossing each other. Frheming should be thing offer the learns i The first year allow only une cane entiting back is the fall to within three or four buils of the crested The second sensor half up two cauca. rutiling learly in the fall to ? m feet in length if the white kns made and contractly

We prefer tring to stake and not allowing the vire to get rover six feet in height. In towns where the is but little moun. they can be su essfully induced on the side of 1 hugs and trellises. Corer with en or hor before the ground fneezes.

BETA (Blark), Is especially raluulule minere extreme hun liness is deshed Sahl to stand the minters in bakula ulthout protection Fruit is of morthum size and fair nuclity

BRIGHTON (Red), Bunch medlum to large, long, compact, should ered, Berries of niedline size, this skin, liegh tender and of best quality Vhie trandy, rigornos and productive; ripens mith-Concord. Should be planled near other varieties. as II dors not always fertilize when alone.

FUNCHED (Blirck). The most pupular grape In America - Bunrir and berry large and of gnoil runilly. Vius plasmons, indelific, hardy and preducting

MODRE'S EARLY (Black). One of the very bush early linek grapes. Clusters medium size, beiry mery lange. Ripens neurly two impels heferre line Crocord, and is about the same quality Vhies hardy. Should have a place in erver fruit entden

NIAGARA. Strong grower; bunches very large and enumert, somethings shouldered; berries as large targer than the Concord, mostly round, light gree while, scall-transparent, slightly amber in the sun. Shi thin but tough and dors not track. Quality good, ha a flavor and aroma pountar to fiself; much filled for nust nearly.

WHRDEN. A sidenald graps of the Concord type, but reciller: harger in huarb

and berry and of decladly lotter quality; rine as hardr as the dil studdy and in erety may us healthy _____


> To grow lice fruits successfully it is necessary to spray. The kind of outfit you need drumuds on what you have to spray.

See your local llaidware or implement derlei about sprayers. If he cannot furnish you, mrile us and wr will gladly gire you information about them,



Warden Brattes,

Hurning Househerries.



Apples

WI coustn has been propen beyond a question to have quite an extenire area that is especially adapted to the growing of this fight in a commutchell may, the necessary regulationship for success being good, well-drained self, a proper selection of nurleiles for that locality, and the cire ofter plauting, which means cultivation, spinying and proubus.

the of the most common errors made by those planting for market Is the use of for many rarielles. If len or irrently men in one section ure growing modes and have a few good kinds, they are in a posttion to form an association, ship in car lols, and in that may obtain best trices.

DECHESS. A large, heautiful apple, roundish, strenked red and jelion. Tender, juley and pleusant, Tree a rightons, the storter and abundant hearer, very hardy; September,

LINELAND. Medlum to large: clear waxen white, shilted and haded with light erhosion, fleak while, yery tender, pleasant, sub-acid, choost survey Fine. As early as Yellow Transparent. August.

DELICITIES. We recommend this for trial only in this fallbult. The lice is a good grower. The fruit very showy and of good quality.

PAMEUSE, or SNDW, Modlum size, conuclish, very handsome relation, liesh shorr milite, lender, juley, highly flavored and delicions. Free rigorous, productive and hardy. Orlober to January

MeINTOSH, Medium size, dark red, good quality, fulcy, sub-acid. tree rigorous and hardr. November to February,

FATTEN GREENING. It is a large green apple of good quality. The free is very vigotous, hardy and producible and mill "get there with a crop of frult if any kind can. October to January,

WEALTHY. Frolt large, roundlah; skin sminolh, mosily covered with dark red; flesh while, julcy, soud. Ther very hardy, vigorous and productive. Very profilable to plant. September to January.

NURTHWESTERN GREENING. Originaled in Notlitein Wisconshy. Size large, shape nearly round, nery regular; suiface smooth, greenish-yellow when fully right, flesh yellow, rather coarse, julcy, suburbl, quality good. Junuary to May,

THIMAN SWEET. Medlum size, pirle whillsh-yellow, slightly tinged with red, flesh firm, rich and very sweet. Tree a fine glower, hardy und productive. Norember to April.

HVSLOP CRAB. A hardy, good keeping ratlety. Frult produced in clusters. Good for cooking and other purposes. Dark red, heavy Idnom.

SWEET RUSSET CRAB. Large, found and conical; green russel, with a faint blush. Very rich, sweet; one of the best for eating and cooking. August and September.

WHITNEY CRAB, Skin smooth, glossy, green, striped, splashed rilli cararine; Ursh firm, juler, and flavor pleasant, ripeus the latter path of August. Fruit large. Tree a great bearer and very hardr.

Wilder Furnints.

Gooseberries

Require the same care and soil as Currents, except that we do not recommend fall plant-Ing in the Norill.

HOWNING. This we consider the most rainuble gooseletry group, manage glving ghod eriors of large, handsome, hole grein heries of line quality Bush a rigorous grower and

Asparagus

This delicions and hentthful vegetable should be frond in every garden. Nothing can be more cually gramu and no plum mill give so much bugilling (cool for so little outlay, Set in the fall or suring, with the moren of the plant about Hirre Inches below the surface of the ground Ten in inclue inclues by two feel is a good rilstance to plant. Erery fall give the heil a group roat of manure, morking 11 in between the rows in the suring.

Well known as a rajuable market and garden

on necount of earliness, hirrge size and line aupearance. We consider it our best.

Rhubarb

Purnt the hills 3 or 4 feet apirri, and make the ground very rich by a good mulch of manure, well worked in every fall or spillig QUKEN. The extra large, lender stalks are

a declified plack color. Delicious for rouking or canalng. A rery shrong gionrer,

VICTORIA, Garly, large, good for ellhet omikel or limine use,

energicutaly productive,

CONTRERS COLOSSAL. A standard ratiety.

PALMETTD, Extensively grown for market



du to types freeting

SECKEL. The standard of quality Tree a slow, erect

Cherries

EARLY RIPHMOND M. Juli

dark red multing toloy

chily, fich acid llavor (in-

the most valuable and pup

slepper gover with a round-

a, spreading head, and Is ex-

dingly productive. Elnens

ouch June, Hardiest sort

LARGE MONTMORENCY.

therry of the Bichmon-

ass but larger and more solkl

more upright grower, hardy

and heavy cropper, Seven i

en days later than Richmond.

Pears

TLEMISH BEAUTY. Laws

entember and Oclober.

ale yellow rusty brown heek. Quality good, senson

KHEFFER. Tree a very

frong grower. Fruit of fair

bearer. Oclober In

uality. An early and abun-

T of the sold charries The

Plums

thing at our faillude, use Natives and Hansen's

TelescoTax No. 4 Med.um size, . ood quality, inclined to overbear;

Large, of f. ir quality. Tree a rood grower

SAPA (Hansen's Hybrid . mildrately free growe:

HANSEA Hansen's Hy-trade. Tree a good quality

WANETA Hansen's Hybrid. Is claimed by cond authoris. Hansen's produce

hards, bears young. negular annua beamer Frun-larger then the largest of

lavorable locations and ar LOWBARD LEAT

OCTOBER PURPLE (Japa-

BURBANK (Japanese),





No. 1-Mugho Pine. No. 2-Norway Sprace. No. 3-Golden Arbor-Aitne. No. 4-4 one-dor Uir. No. 5-Bechtel's which is greatly appreciated by Howering Crah, No. 6-Spirea Van Houllei, No. 7-Crimson Bambler,

Evergreens

(All one or more times transplanted).

NORWAY SPRUCE. Good for single specimen or aindiceaks. The best for all

WHITE PINE. Light silvery green (oliage; a rapid grower,

Critoson Bambler, Red.

Dorothy Perkins. Plnk.

Rugosa Rubra, Pink

Gen. Jacqueminol. Red.

J. B. Hark, Deep red.

M.al. Planller. White

Salel Moss. Plote

Blanche de Poulsert - White,

Trau Karl Bruschki, White,

Blanch Moreau Moss. White-

Hunsa Red

SCOTCH PINE. An etect rapid grower with clossy green follage

ARBUR-VITAE, AMEDICAN. The first everyreen for hedges, easy to transplant of stands shearing well

Ve have both the grafted and those grown from seed.

DWARF MOUNTAIN PINE. Of compact spreading growth Valuable where a low old everyreen is needer



Two-year No. 1.

CLIMBERS

Oneen of the Prairie. Pink Eversa Red.

RUGOSAS

Found D. Meyer, Pinte Sir Thos, Lipton, While Rugosa Alba, While,

HYBRID PERPETUALS

Baby Bambler, Red. Paul Neyron, Pints Mugna Churla, Pink. Persian Yellow, Henry Martin Muss. Red.

Climbers

AMPELUPSIS ENGELALANNIL. Shorter jointed and having ther foliage ha Quinquelolla Clings to high or stone. A good grower and hardy. The loss for Die North and Northwest

TLEMATIS JACKMANH, Flowers from 4 to 6 luches in diameter, intense violet purple, with a velvely appearance. Hardy A free grower and frequently blossome from midsummer until frost,

CLEMATIS PANICULATA. This has proved to be one of the most desirable, useful and heautiful of hardy vines, a juvurlant grower and profuse bloomer. Small white, fragrant flowers in September

SCARLET TREMPET HUNEYSUCKLE. A strong, rapid grower, blooms very freely the entire season; bright red trumpet-shaped flowers,

Shade Trees

BUX ELUER (A. L. Maple) - A raphi towing free, solution to a great variety. solls and busilions.

SILVER MAPLE. Another valuable uid growing free Easy to transplant d hundle

NDRWAY MAPLE. One of the heat 28 we have ber lawn planting, puturly forms a well munded need. Fotors rge, dark green, free from insect neels So a roud Lonleyard tree

SULWEDLERI MAPLE. Shullar in ddt ol growth to the Norway Maple wept that In the spring the foliage is brilliant mendo

PATALPA SPECISA (Hardy Westat. A rapid, upright growing free with ree Iroulcal leaves The crossive white ssoms abbear in June in Large clusters. littler is valuable for posts, ele

CARILINA POPCAR. WIII grow on our soll where other trees fail, but, or ourse, will make a much stronger growth good soll. The most rapid growing 61: we have

ELM, AMERICAN. This easily mules st for street planting Should be given denty of rooms to develop

LINDEN. AMERICAN. Sullable for ther street or lawn planting. Follage rice. The flowers are borne in clusters, of are very fragman

RUSSIAN MULBERRY, Good for screens and windbreaks. The fruit, bluds and fowls

BECHTEL'S DOUBLE LLOWENING CRAB. 20 lect. About the milidly of May the tree is covered with beautiful, double pluk, sweet-scented llowers, that at a distance look like small roses. Tree is a moderate grower, hardy and of upright habit. One of the

Weeping Trees

CAMPERDOWN ELM. Gralled 6 to 7 feet from the ground and orms an umbrell i-shipped local

TEAS' WEEPING MITLBERRY. Grafted in the same manual the Comperdown Elm. Branches are long, slender and droop COLORADII BLUE SPRICE. A care and elegant variety. Follage a rich blue to the ground. Follage is rather small and deeply lobed

> WIER'S PIT-LEAL MAPLE. A variety of the Silver Maple with out-leaved foliage and slender drooping branches. Very desirable

WISTINSIN WEEPING WILLOW. The best Weeping Willow for this climate. A very graceful, rapid-growing free



Wanela Plums,



shrubs for planting in groups or massing with other shrubbers SNHWHALL, This old well known

webuilton Daeshan Darala

SPIREA VAN BOUTPEL Probably the most extensively planted of any of

Lilae Villosa,

LILAPS. Common purple and while

WHITE SNHWBERRY. Flowers small

RED SNOWBERRY. One of our hest

pink, follage dark green. Berries large white and hang well pio the winter.

the outly-flowering shrubs. Hardy, graceful and its mass of while bloom about Decoration Day makes it very desirable for this failtude SPIREA ANTHUNY WATERER.

Dwarf, upright grower, covered from June or July until fall with large heads of dark crimson flowers. A valuable addition to the list

SPIREA PALIAISA ALBA (Dwarf) White SpireaL Shullar in habit and growth to Anthony Waterer. The blooms, however, are pure while; a free and conflations bloomer. Works in very nicely with Anthony Wolerer.

SYRINGA CORDNAIDPS. Blooms early, flowers pure white and very fragraul.

SYRINGA GRANDIFLOUA. Stronger grower than the Coronarlus; flowers larger and blooms a little later than

SYRINGA LEMOUNE ERECTUS. charming variety of upright growil Howers small, yellowish-while, iragrand, completely covering the bush.

WEIGELA RUSEA. The best known of the Weigelas. An elegant variely will fine rose-colored flowers in June

WEIGELA EVA RATHKE. A chorming new Weizefa with bright crimson flowers; a bouilful, distinct shade Blooms all summer. Not quite so hardy as Rosea.

Ornamental Shrubs

By a careful choice of shrubbers, not only a continuous succession of bloom of varied line and form scared throughout the oblite ummer, but the follage will preent a great variety of riotons. nior by the many shortor of yell low, white, gray, purple, and

BARBERRY. THUNBERL'S. dwart habit. Follage small lishging to a conterv red in ulumn. Il also bears an abundance of small red berries that hang on well halo the winter. Val. for low hedges or groups

HON HARDERRY (New). / ery dwarf variety that works h please for lordown of

GDLIEN ELDER A Kindme large growing shiub with rolden yellow foliage that holds are threasands and the owners

HVDRANGEA ARHDRESCENS bRANIDFLORA ALHA (Somes lines called the Snowball Hytrangen) Blooms from June will August, One of the best shrubs

HYDRANGEA PANICPLATA GRANDITLINA, A splendld companlon for the above. Commence blomm in August, lasts until

HUNETSPCKLE, TARTARIAN. This is one of the old well known shrule. While, plak, and dark tik or light rod



LILACS, Named sorts in various colors,



Delphinlum.

Perennials

Delphinium

Mr. W. C. Egon, the well known writer and a great admirge of Delphilotons, says: "There is no hardy berennial more easily grown than the Delphiloton. It revels in full sunshine and a deeply worked rich soil with plenty of water during dry spells. If given these it will ill your beart with joy and gladness in the richness and profuseness ol bloom," Light and dark blue varieties

Hollyhock

These need no description. They are good in rows, groups or interspersed with shrubbery. To reach perfection they should have a deep, rich, well-drained soll. Protect the mote during the winter with a straw mulch. We offer strong plants in double while, pink, vellow. red, and marconn, single choice mixed and Allegheny, a line new serisemi-double and fringed.

Aquilegia

Bloom is tale spring and early summer; grow about 2 feet high and succeed in any ordinary garden soll. Worthy of more extensive plauling Assorted colors.

Coreopsis

Large, deep yellow, cup-shaped flowers, each on a long clean stem, making it especially voluable for cutting purposes. A continuous bloomer during its season,

Iris

No flower in the personal border surpasses the tris in delicacy of lexibite and color, or is more showy and pleasing in general appearance They rival the Orchids of the tropics in their surpassing beauty, German and named varielles.

Oriental Poppy For a gorgeous display of the brilliant coloring bolding can ever the Oriental Popples during their period of dovering in May or June, and whether planted singly or in masses their large flowers and freedom of bloom reader them consulctions in any position.

Platycodon

These are very closely alled to the Campanulas. Of upright habit, and they bloom through July, August, and September. Very desirable, Purple and while.

Phlox-Pink creating.

Bright red. Dark ced.

White White, creeping.

Ly Martinh. Bright red Testlyn Maximu, Best while Mad. Ruerla, Pink.

Dahlias and Gladioli

There is nothing in the summer-flowering builts that is more at-tractive or subfactory than the Dabila and Cladicius. They will thrive in any good garden soll, but amply repay extra care and feeding by larger size and greater beauty of individual flower. Our list In both the numed varieties and infriture includes the most desirable sorts Bubs should be planted I inches apart and from 3 to 4 Inches deep.





in foundation planting.



HIS folder places before you a list of varieties that we consider leaders in their particular class. They combine hardiness, productiveness and vigor of growth. We have included only those sorts that, from our own experience and the reports of

others, are a success over a wide range of territory.

This is only a partial list of what we grow and sell. If you do not find what you want, send a list of your wants for prices.

Why We Are in a Position to Furnish You the Best

The soil on which we grow our plants is a sandy loam with a clay subsoil, kept in a good state of fertility with barnyard manure. This, with good cultivation, makes ideal conditions in which to grow strong, fibrous rooted plants, shrubs, etc. If you are to have the greatest degree of success with your planting it is important that you secure stock of this kind which is adapted to your locality. Let us advise with you about your list.

We grade and pack all our trees, plants, etc., under cover away from sun and wind, and use every means possible in the handling and packing of our stock so that it will reach you in shape to go right on growing.

ORDER NOW and stock will be reserved for you.

Terms cash unless by special arrangement.

The Coe, Converse & Edwards Co. Fort Atkinson, Wisconsin

Light nigk While, pink center. Dark pink, Peonies Hillehalis Rubra. Barly red. Felly Crousse. Rest red Edulis Superba, Dark plak,

Perennials

Delphinium

Mr. W. C. Egan, the well known writer and a great admirer of Delphiniums, says: "There is no hardy perennial more easily grown than the Delphinium. It revels in full sunshine and a deeply worked rich soil with plenty of water during dry spells. If given these it will fill your heart with joy and gladness in the richness and profuseness of bloom." Light and dark blue varieties.

Hollyhock

These need no description. They are good in rows, groups or inter-spersed with shrubbery. To reach perfection they should have a deep, rich, well-drained soil. Protect the roots during the winter with a straw mulch. We offer strong plants in double white, pink, yellow, red, and maroon: single choice mixed and Allegheny, a fine new sort, romi double and fringed semi-double and fringed.

Aquilegia

Bloom in late spring and early summer; grow about 2 feet and succeed in any ordinary garden soil. Worthy of more exte planting. Assorted colors. high extensive

Coreopsis

Large, deep yellow, cup-shaped flowers, each on a long clean stem, making it especially valuable for cutting purposes. A continuous bloomer during its season.

Iris

No flower in the perennial border surpasses the Iris in delicacy of texture and color, or is more showy and pleasing in general appearance. They rival the Orchids of the tropics in their surpassing beauty. German and named varieties.

Oriental Poppy

For a gorgeous display of rich brilliant coloring nothing can excel the Oriental Poppies during their period of flowering in May or June, and whether planted singly or in masses their large flowers and freedom of bloom render them conspicuous in any position.

Platycodon

These are very closely allied to the Campanulas. Of upright habit, and they bloom through July, August, and September. Very desirable. Purple and white,

Phlox creeping.

Pink.

Light pink.

Dark pink.

Bright red. Dark red. White, pink center.

White. White, creeping.

Peonies

Bright red. Best white.

Officinalis Rubra. Early red. Felix Crousse, Best red. Edulis Superba. Dark pink. Le Martini. Bright Festiva Maxima. H Mad. Guerin. Pink.

Dahlias and Gladioli

There is nothing in the summer-flowering bulbs that is more at-tractive or satisfactory than the Dahlia and Gladiolus. They will thrive in any good garden soil, but amply repay extra care and feed-ing by larger size and greater beauty of individual flower. Our list in both the named varieties and mixture includes the most desirable sorts. Bulbs should be planted 4 inches apart and from 3 to 4 sorts. Bulk inches deep.

